

ESTABLISHED 1844

INCORPORATED 1886

# HICKOK

## BOOKBINDERS' MACHINERY

## BOOKBINDERS' TOOLS

CATALOGUE NO. 88

THE W. O. HICKOK MANUFACTURING COMPANY  
HARRISBURG, PENNSYLVANIA, U. S. A.

PRINTED U. S. A.



ESTABLISHED 1844

INCORPORATED 1886

# HICKOK

## BOOKBINDERS' MACHINERY

## BOOKBINDERS' TOOLS

Catalogue No. 88

THE W. O. HICKOK MANUFACTURING COMPANY  
HARRISBURG, PENNSYLVANIA, U. S. A.

---

**OUR WARRANTY**—All machinery and tools are thoroughly inspected by us before shipment. Should any material or machinery made by us prove defective or not as ordered, we will, upon due notice, take it back or replace it, if it is sent to us for inspection; but we will not allow any claim for expense incurred in using or changing such machinery or material. Machinery or tools not manufactured by us are not guaranteed by us.



## Hickok Paging and Numbering Machines

**A** MOST complete machine, with automatic repeating device, automatic alternating device. Thoroughly up to date. All wearing parts made of steel. Simple in design. Easily understood. Heads on half-set, stationary ciphers. Unequaled in printing, light-running, facility of operation.

### New Style Reversible Head that Can Operate Forward or Backward

**T**HIS head has been designed and patented for paging. It will print consecutive numbers or alternate numbers forwards or backwards as desired. An operator of a paging machine can readily see the wonderful advantage in this as he can print the even numbered sheets in the same manner as he formerly printed the odd numbered pages, saving at least 200% in time.

We also manufacture a special head to hold type or electrotypes for printing tags, covers and check ends.



*Style A, equipped with electric drive*

THE W. O. HICKOK MANUFACTURING COMPANY :- Harrisburg, Pa., U. S. A.

PRICES OF HICKOK PAGING AND NUMBERING MACHINES, f. o. b. Harrisburg, Pa.

<b>Style A. Combined Steam and Foot Power—</b>	
With one 4-disc steel head .....	\$500 00
With one 6-disc steel head .....	550 00
With one 6-disc and one 4-disc steel head .....	650 00
<b>Style B. Foot Power only—</b>	
With one 4-disc steel head .....	400 00
With one 6-disc steel head .....	450 00
With one 6-disc and one 4-disc steel head .....	550 00
<b>For Head only—</b>	
4-disc head .....	125 00
5-disc head .....	150 00
6-disc head .....	175 00
<b>For Reversible Heads—</b>	
4-disc head .....	200 00
5-disc head .....	225 00
6-disc head .....	250 00
<b>Electric Drive—Thoroughly guarded and enclosed—</b>	
With ¼-H.P. motor (add to price of Style A machine) .....	100 00
Weight, boxed, 750 pounds; floor space 39 x 29 inches; fastest speed of power machine, 150 revolutions per minute (Machine patented)	

## Paging Inks

For Use on Paging and Numbering Machines

Red, in ¼-lb. tubes .....	\$1 50
Blue, in ¼-lb. tubes .....	1 50
Black, in ¼-lb. tubes .....	1 15

THREE

## Paging Head (Regular Design)

**T**O PAGE a book nicely necessitates the use of a good machine. To number a check, draft, bank bill, or any class of work where careful, perfect numbering is required, makes indispensable a machine and numbering-head which may be depended upon for accurate work. The illustration we give herewith is of just such a machine—perfect in workmanship, of the best material and finest fitting. Please note the points of superiority in our machine:

**1—Dust-proof Head.** Each head is encased in a dust- and moisture-proof bronze casing. Keeps dust and moisture out, and oil in.

**2—Ink-rollers** held firmly at the two ends; any other method is a signal failure. They get “lopsided.”

**3—Our serial alphabet attachment** (automatic) prints a letter close to the unit disc, or any combination of discs printing, and of itself slides back as the several discs, one after another, come into action. A canceling-star may be printed close to the right of the unit disc at the same time.

**4—The repeating device** is so simple that a child could operate it. The change of a stop from one hole to the next is all that is required.

**5—To alternate**, namely, 1, 3, 5, 7, or 2, 4, 6, 8, as in paging, requires only the movement of a small stop on the side of the head, like turning a button.

**6—Impression Adjustment.** The head descends a given distance each impression. The bed-block is adjustable. You can print any thickness of paper or cards without injury to the numbers or machine.

**7—Extreme depth** back of feed-table, vertically and horizontally, for stiff and flexible sheets of card or paper, where the numbering is near the bottom of the sheet, and the sheet can, therefore, be fed far into the machine.






THE W. O. HICKOK MANUFACTURING COMPANY -:- Harrisburg, Pa., U. S. A.

- 8—**Rapid, easy and simple** device for raising or lowering the feed-table; feeder need not change her position to operate it.  
 9—**Long smut-tape**, to prevent "set-off" and "smutting" when paging books; feeds automatically and regularly.  
 10—**The pressure** of a child's foot will operate the steam attachment. An impression is made instantly, at the will of the operator, by merely touching a small treadle.  
 11—**Smooth ink distribution**. No clots of ink drawn from a reservoir by the roller, and then spotted on the plate, to the damage of the work.  
 12—**Disc-setting made easy**. On the face of the shank of each figure, as it stands before the operator's eye, is distinctly duplicated the engraved figure then in printing position on the same disc; thus combinations of figures may be set more quickly and accurately than heretofore.

## Figures for Numbering and Paging

( Special sizes and styles made to order, but at an additional price.)

<sup>1</sup>64327      <sup>2</sup>354612      <sup>3</sup>105423      <sup>4</sup>5284      <sup>5</sup>6832      <sup>6</sup>3452  
<sup>7</sup>53467      <sup>8</sup>40287      <sup>9</sup>346852      <sup>10</sup>2358      <sup>11</sup>54321

We keep 6-disc heads of Style 2 and 4-disc heads of Style 4 always on hand; the light lines of each are, however, engraved a little heavier than as here shown.

## Hickok Automatic Serial Alphabet

Letter Slide Attachment with one letter to print in front of figure .....	\$30 00
Cancellation mark or letter to print after figures with one letter or cancellation mark only .....	20 00
Extra letters, each .....	5 00

THE W. O. HICKOK MANUFACTURING COMPANY :- Harrisburg, Pa., U. S. A.

## Hickok Book-Backing Machines

### ROLLER BACKER

**T**HIS machine combines greater strength and weight than many of the machines having the same general appearance, the extra weight being utilized where the greatest strain is found. The weight of movable parts is so counterbalanced that the hard labor experienced by those using the ordinary roller backer is done away with. The machine will easily clamp any book the jaws will receive, without springing the foot-levers. The springs used on this machine are of the finest tempered steel. Nothing but the best of steel and iron is used in the working parts.

The workmanship is of the best, and we offer this machine to the trade as one which will meet their approval. Length of jaw, 18 inches.

**PRICE, \$950**

Crated, f. o. b. cars, Harrisburg, Pa. Weight, about 1,475 pounds.  
Floor-space, 3 feet by 3 feet 6 inches.







## JOB BACKER

**N**EW pattern, heavy frame, steel screw, gun-metal nut, jaws accurately aligned with each other, and finished in superior manner. This machine is useful for backing and sawing out books.

### SIZES AND PRICES

Jaws 21 inches long, open  $4\frac{1}{2}$  long.....\$125 00

Jaws 29 inches long, open  $4\frac{1}{2}$  in. .... 150 00

Average floor-space, 31 x 22 inches. Average weight,  
550 pounds. Boxed, f. o. b. cars, Harrisburg, Pa.

## Hickok Automatic Knife-Grinder

**EMERY WHEEL.** The Emery Wheel used on this machine is of the best make, and of a grade of emery especially adapted to the work. The wheel is kept wet by water from a drip-can placed on top of the hood. The application of water is a safeguard against the possibility of the temper being drawn from the knife.

**ITS CONSTRUCTION.** This machine is simple in construction, being devoid of the many parts susceptible to wear and liable to get out of order. Table glides smoothly on gibs; no jar.

**ITS FRAME** is built of iron and steel, and is strongly braced. Its working parts are



accurately fitted, and by careful experiment it has been made a perfect machine. It will do with accuracy and speed all work required of this class of tools.

**AUTOMATIC MOVEMENT.** The reversing mechanism applied to this machine is thoroughly automatic and positive in any short or long stroke. There is nothing better. The knife-holder is drawn to position by hand-wheel, and is set to bevel by worm and gear.

**SIZE OF EMERY WHEEL,** 22 inches diameter, 1½-inch face; size of the two pulleys, each 14½ inches diameter, 2¾-inch face; speed of wheel, 200 r. p. m.; weight of 48-inch machine, crated, about 1,300 pounds; floor-space, 12 feet by 3 feet 9 inches.

**For Sharpening Cutting Machine Knives. Simple in Construction  
Will Grind to Any Bevel. Rigid Knife-Bar Holder**

Prices, crated, f. o. b. cars, Harrisburg, Pa.

No. 2, will grind 48 inches or less .....	\$400 00
No. 4, will grind 60 inches or less .....	500 00
No. 5, will grind 72 inches or less .....	..650 00
Individual Electric Motor Drive including 1-HP motor for 110 or 220 volt current .....	\$150 00



## Binder's Board Shears

(Gauge Table Shears, all iron)

**T**HESE shears have recently been greatly improved, and we now consider them the finest on the market. The hold-down clamp is vertical-acting, and will hold firmly anything from tissue-paper to the heaviest board. It is rigidly constructed and will show no wear after years of service.

The table or back guage is always in perfect alignment with the knife, thus saving a great amount of time usually used in adjusting. The front stop or gauge is quickly and easily moved into any position desired, and securely locked by one hand screw only.


Auxiliary Gauge, for cutting extra-narrow strips. New style.

**Size, 36-inch Cut.** Front gauge runs out from knife 24 inches; table, 24 x 36 inches; floor-space, 6 feet 9 inches by 4 feet 9 inches; weight, crated, about 950 pounds.

**Price, \$210, f. o. b. Harrisburg, Pa.**



THE W. O. HICKOK MANUFACTURING COMPANY -:- *Harrisburg, Pa., U. S. A.*



## **Hickok 00 Standing Press**

**T**HIS Press has a frame made of hardwood, well seasoned and finished, an iron head and platen and a steel screw. Extremely strong and well made throughout. Screw 2 inches diameter.

Size of platen and bed. 13 x 20 inches.

Platen opens 20 inches.

Shipping weight, 350 pounds.

Price, \$75, boxed, f. o. b. Harrisburg, Pa.

THE W. O. HICKOK MANUFACTURING COMPANY -:- Harrisburg, Pa., U. S. A.

## Hickok 00½ Standing Press

**T**HIS Press is made entirely of iron and steel, and is of the highest grade of workmanship.


Size of platen, 10 x 16 inches.

Platen opens 7 inches.


Screw steel, 2 inches diameter.

Shipping weight, 100 pounds.

Price, \$50, f. o. b. Harrisburg, Pa.







## Hickok 0½ and 0 Standing Presses

**T**HESE Presses are made entirely of iron and steel and have an accurately cut screw, with bronze nut and are of the best grade of workmanship.

	Size of steel screw	Size of platen	Opens	Weight	Prices, f. o. b. Harrisburg
No. 0½	—2 in.	16 x 24 in.	10 in.	443 lbs.	\$90.00
No. 0	—2 in.	16 x 24 in.	36 in.	550 lbs.	100.00

Above prices are with hand wheel. If spider and lever are desired add to the above prices \$10.00.


f. o. b. Harrisburg, Pa.

## Hickok No. 6 Standing Press

**T**HIS is the most popular-sized Press for an ordinary bindery; it is made of the highest-grade materials and is of the best workmanship.

The Nos. 10, 11 and 12 Presses are similar, but much larger and heavier. The No. 2 is smaller but of the same general design.

	Size of steel screw	Size of platen	Opens	Weight	Prices, f. o. b. Harrisburg
No. 2—	2½ in.	16 x 24 in.	43 in.	900 lbs.	\$125 00
No. 6—	3¼ in.	20 x 28 in.	43 in.	1,350 lbs.	150 00
No. 10—	3½ in.	25½ x 32¼ in.	50 in.	2,520 lbs.	300 00
No. 11—	4 in.	29½ x 45½ in.	56 in.	3,935 lbs.	450 00
No. 12—	4 in.	29½ x 48 in.	56 in.	4,750 lbs.	550 00





## Hickok Toggle Presses

**T**HIS Press is very quick and expedient, and is taking the place of the old-fashioned standing presses. The advantage gained is that the nearer the Press is closed the greater the pressure, so that when the Toggle Arms are almost vertical the greatest pressure is attained, and by less applied power, hence the great advantage.

		Size of platen	Open	Closed	Weight	Prices, f. o. b. Harrisburg
No. 2T		24 x 16½ in.	59 in.	45 in.	900 lbs.	\$175 00
No. 6T		21 x 29 in.	58 in.	43 in.	1,700 lbs.	225 00
No. 9T		24 x 32 in.	60 in.	47 in.	2,250 lbs.	275 00
No. 10T		26 x 34 in.	60 in.	47 in.	2,500 lbs.	325 00




THE W. O. HICKOK MANUFACTURING COMPANY -:- Harrisburg, Pa., U. S. A.


## Hand-Bundling Signature Press

**T**HIS machine is very useful for bundling printed signatures where a great pressure is not required. It does the work with great quickness and efficiency, and is the most powerful hand-press on the market. It is carefully and accurately made. The workmanship and material are fully guaranteed by us to be first class in every respect.

Floor-space, 5 feet 4 inches by 4 feet 2 inches. Weight, about 1,050 pounds.

Price, \$200, f. o. b. Harrisburg, Pa.





## Hickok Stabbing Machines

### STYLE G

**T**HIS machine is very desirable for piercing or stabbing pamphlets, etc., in limited quantities by hand power. It is built entirely of iron, and is very strong. Machine is made to fasten to table or bench. Awls are made with round or flat point, and with round shank.

Weight, 70 pounds.

Price, boxed, \$80, f. o. b. Harrisburg, Pa.

### STYLE F

**T**HIS is a foot-power machine that is perfect and easily adjusted. The working parts are made of iron and steel, and are very strong. Awls are made with round or flat point, any thickness, and with square shank. The position of the awls can be easily and quickly changed. This machine is not built for heavy work.

Weight, about 275 pounds.

Price, crated, \$150, f. o. b. Harrisburg, Pa.

THE W. O. HICKOK MANUFACTURING COMPANY -:- Harrisburg, Pa., U. S. A.

## Hickok Combined Lettering Pallet Press, Stabbing and Round Corner Cutting Machine

**WE** HAVE put this on the market on account of the persistent demand for a Press into which a Lettering Pallet can be quickly and securely fastened. When a few impressions which need pressure are required, the Lettering Pallet can be quickly put in the Press and sufficient pressure gotten without a large outlay for a stamping machine. It also has the stabbing and round corner cutting attachment which can be easily and quickly attached. The stabbing attachment has a holder with nine stationary awls. The awls are spaced 15-16" from center to center. The distance from centers of outside awl to outside awl is 8 7-16".

The extreme distance from line of awls to rear gauge is 10 1/4".

Nine to fifteen sheets of paper can be stabbed at one operation, depending on the thickness of material.

Three Round Corner knives of different curves are supplied.

The Press is equipped with an adjustable stop and guides for the work. No shop is complete without one of these Presses.

Bench space is 11 x 24 inches. Shipping weight about 109 lbs. net, 160 lbs. gross. Size 20 x 15 x 28 inches.

### PRICES

Press and Pallet only .....	\$125 00
Press, Pallet and Stabbing Attachment only .....	135 00
Press, Pallet, Stabbing Attachment and Round Corner Cutter .....	150 00

f. o. b. Harrisburg, Pa.



THE W. O. HICKOK MANUFACTURING COMPANY -:- Harrisburg, Pa., U. S. A.

## Hickok Lettering Pallet



No. 1

Made from solid  
bronze castings.


**F**OR holding lines of type when lettering. These Pallets are supplied with face-plate and screw, to keep the type in perfect alignment. It also has thumbscrews at each end, and can be tightened by either the right or left hand. Vastly superior in workmanship to most of the so-called Pallets now on the market.

We now manufacture two styles of Lettering Pallets. No. 1 Pallet is solidly built with slot for jaws on top. No. 2 is open in front and solid on top.

No. 1 Lettering Pallet, weight 2 lbs., 8 oz.

No. 2 Lettering Pallet, weight 2 lbs., 4 oz.

Prices of either style are as follows:



No. 2

Maximum opening of jaws 5" .....	\$15 00
Maximum opening of jaws 6" .....	20 00
Maximum opening of jaws 7" .....	23 00

f. o. b. cars Harrisburg, Pa.



THE W. O. HICKOK MANUFACTURING COMPANY -:- Harrisburg, Pa., U. S. A.

## Hickok Finishing and Laying Presses

**T**HESE Presses are made of the finest hardwoods obtainable, thoroughly seasoned, so that they will not warp or crack, in our up-to-date woodshop, by the most skilled workmen.

### HICKOK FINISHING PRESSES


#### SIZES AND PRICES

No. 1.—14 inches between screws.....	\$4 00
No. 2.—18 inches between screws.....	4 25
No. 3.—21 inches between screws.....	4 50
No. 4.—24 inches between screws.....	4 75
No. 5.—28 inches between screws.....	5 25
No. 6.—31 inches between screws.....	5 75

f. o. b. Harrisburg, Pa.



THE W. O. HICKOK MANUFACTURING COMPANY :- Harrisburg, Pa., U. S. A.



## Hickok French Style, Plow and Press

**I**T can be used either as a backing machine, gilding or plowing machine.


It is designed with a steel screw and hand-wheel. The jaws of the press are metal topped and made of seasoned wood. The knife is adjustable and the plow slides in metal slides. It is equipped with a receiving box for waste material.

Size of wooden jaws .....  $4\frac{3}{4}'' \times 4\frac{3}{4}'' \times 31\frac{3}{4}''$   
Diameter of steel screws .....  $1\frac{1}{4}''$   
Distance between steel guide rods .....  $25''$   
Jaws open .....  $7''$

Price, \$145 net, f. o. b. Harrisburg, Pa.

TWENTY-ONE

THE W. O. HICKOK MANUFACTURING COMPANY -:- Harrisburg, Pa., U. S. A.



## HICKOK "SPECIAL" PLOW AND PRESS

Plow, Press, Knife and Pin.....	\$30 00
Press only .....	20 00
Plow and Knife, "Special" only .....	12 00
Knife, "Special" only .....	2 00

f. o. b. Harrisburg, Pa.


### Regular Size

Jaws 5 x 5½ x 42 inches  
Screws 2½ inches diameter  
Between screws 26½ inches  
Jaws open 12 inches

### Amateur or Small Size

Jaws 3¾ x 4½ x 30 inches  
Screws 1½ inches diameter  
Distance between screws 18 in.  
Jaws open 7½ inches

Price is same for either size



THE W. O. HICKOK MANUFACTURING COMPANY -:- Harrisburg, Pa., U. S. A.



## Hickok Gilding Press and Stand

**H**ICKOK Gilding Presses have for years been famous for their wearing and lasting qualities, for the superior materials from which they are made, and their accurately cut screws and nuts. With proper care and handling, these Presses should last an operator a lifetime.

The standard Press is 28 inches between screws, with a jaw opening of 18 inches. Any style or size of Press can be made by us to suit the convenience of the operator.

Steel screw 36 inches long; size of screw, 2 inches; size of wood,  $6\frac{3}{4} \times 5\frac{3}{4}$  inches; gun-metal boxes; price, without stand, \$90.

Additional length of jaw-opening, \$1 an inch.

Gilding Press Stands, any size, \$20.

Boxed, f. o. b. Harrisburg, Pa.

TWENTY-THREE



THE W. O. HICKOK MANUFACTURING COMPANY -:- Harrisburg, Pa., U. S. A.

Size of board in inches	Unbound	Brass bound 4 edges	Nickel-plated brass bound 4 edges
6 x 11.....	\$0 60	\$1 50	\$2 10
8 x 11.....	65	1 65	2 25
8 x 12.....	75	1 85	2 55
10 x 13.....	85	2 25	3 00
11 x 14.....	1 10	2 40	3 30
10 x 16.....	1 35	2 60	3 65
12 x 16.....	1 40	2 75	3 95
12 x 18.....	1 50	3 00	4 35
13 x 20.....	1 65	3 30	4 65
15 x 20.....	1 70	3 65	5 10
17 x 22.....	1 85	4 20	5 70
16 x 24.....	1 95	4 50	6 00
18 x 24.....	2 00	4 80	6 35
20 x 24.....	2 15	5 10	6 75
20 x 28.....	2 45	5 45	7 10
22 x 28.....	2 70	5 75	7 50
24 x 30.....	3 00	6 35	8 15
26 x 40.....	4 50		
30 x 36.....	4 65		
36 x 44.....	6 35		

Other sizes to order at special prices.  
Hardwood case for 14 boards, \$15.

f. o. b. Harrisburg, Pa.

## Hickok Press Boards

Made of thoroughly seasoned cherry.





## Hickok Gold Cushions

**M**ADE of hardwood, with drawer, and covered with prepared tan calf-skin.

7 x 13 inches .....	\$7 00
8 x 16 inches .....	7 50
9 x 18 inches .....	8 25
Gold Knife .....	1 00

f. o. b. Harrisburg, Pa.

## Hickok Finishing Stands

**M**ADE of hardwood, by skilled cabinetmakers. Prices, without table shown, to fasten to a bench in the bindery.

For Printed Work .....	\$6 00
For Blank Books .....	10 00

f. o. b. Harrisburg, Pa.

THE W. O. HICKOK MANUFACTURING COMPANY -:- Harrisburg, Pa., U. S. A.

## Electrically Heated Lettering Pallet

**A** GREAT time saver as pallet is heated in two to three minutes and constant heat radiated to the face of the type at an even temperature, thus prolonging the life of the pallet. Heating element adds only 5 oz. to the weight of the pallet. In ordering state if your electric current is A. C. or D. C., 110 or 220 volts. Prices complete with cord add \$15.00 to prices of Lettering Pallet shown on page 19.



## Electric Heater for Gilding Rolls, Finishing Tools and Lettering Pallet

**T**HIS heater has been welcomed by the Bookbinders' trade. It will generate sufficient heat in two or three minutes to properly heat a roll or stamp. Lettering Pallet can also be heated. It is made in two sizes.:

No. 1—For heating Fillet Rolls up to  $4\frac{1}{2}$ " in diam.

Price complete with cord and plug.....\$20 00

No. 2—For heating Lettering Pallets, but can also be used to heat Fillet Rolls and Finishing Tools.

Price complete with cord and plug.....\$35 00

Can be supplied for connection with 110-115 volt A. C. or D. C. or 220-230 volt A. C. or D. C.



## Hickok New-Style Finishing Stands

**T**HIS Stand is quick and secure, and has self-adjusting jaws to handle various thicknesses of books. This machine is clamped by means of the foot, leaving the hands free for finishing. Made of hardwood throughout by skilled cabinet-makers.

Price, \$25, f. o. b. Harrisburg, Pa.

## GOFF FINISHERS' TURN TABLE

(No illustration)

Price, complete, \$12, f. o. b. Harrisburg, Pa.

## HICKOK BINDERY TABLE

**M**ADE of hardwood with swivel casters, size of table 25" x 35" with corner 15" high to prevent work from slipping off.

Price of table .....\$30 00

f. o. b. Harrisburg, Pa.



THE W. O. HICKOK MANUFACTURING COMPANY -:- Harrisburg, Pa., U. S. A.

## Hickok Glue-Kettle

**KETTLES** are made of heavy copper, tinned; jackets of black Russia iron.

PRICE, f. o. b. Harrisburg, Pa.

<b>Style A.</b>	Kettle $8\frac{1}{4}$ in. wide, 5 in. deep .....	\$18 00
<b>Style B.</b>	Kettle $8\frac{1}{4}$ in. wide, $4\frac{1}{2}$ in. deep .....	18 00
<b>Style C.</b>	Kettle $8\frac{1}{4}$ in. wide, $3\frac{3}{4}$ in. deep .....	18 00

This price does not include Gas-heater



## GAS-HEATER

with connection for rubber tube

\$3.50

f. o. b. Harrisburg, Pa.



THE W. O. HICKOK MANUFACTURING COMPANY -:- Harrisburg, Pa., U. S. A.



### Hickok Gas Stove (Anti-Smoke)

**F**OR heating finishing tools and bookbinders' type,  
with connection for rubber tubing.

Single Stoves, with tool-rest .....	\$5 00
Double Stoves, with tool-rest .....	11 00

PRICES, f. o. b. Harrisburg, Pa.

### Electric Glue Pots (Hold-Heet)

1 quart capacity.....	\$14 00
2 quart capacity.....	17 00
4 quart capacity.....	24 00
8 quart capacity.....	36 00

With automatic thermostat control which keeps  
glue at proper temperature.

Be sure to specify proper voltage,  
110 or 220 volt

Heavy seamless copper nickle-  
plated glue container




TWENTY-NINE

THE W. O. HICKOK MANUFACTURING COMPANY -:- Harrisburg, Pa., U. S. A.

## Hickok Blank-Book Sewing Bench

**C**ONSTRUCTED of thoroughly seasoned hardwood. A well-made and durable article. It is 25 inches between upright screws, and equipped with twelve-button screw-clamps.

Price, \$15, f. o. b. Harrisburg, Pa.  
Extra button screw-clamps, 50 cents each



## Hickok Edition Sewing Benches

Constructed entirely of hardwood.

PRICES, f. o. b. Harrisburg, Pa.

No. 1.—24 inches between screws.....	\$4 50
No. 2.—30 inches between screws.....	5 00
No. 3.—36 inches between screws.....	5 50
No. 4.—40 inches between screws.....	6 00
Wooden Keys, each .....	20
Bronze Keys, each .....	50

THE W. O. HICKOK MANUFACTURING COMPANY -:- Harrisburg, Pa., U. S. A.



## IRON BENCH BLOCKS

**U**SED for rounding up books. Are very strong and perfectly true and square. A very desirable article.

### SIZES AND PRICES

15 x 12 x 2 inches .....	\$15 00
24 x 20 x 2 inches .....	25 00

## HICKOK STEEL-FACED BACKING-BOARDS

Made of hardwood, with entire inside faces covered with steel.

Price per running inch, per pair, 35 cents



## HICKOK METAL BACKING-BOARDS

**M**ADE entirely of metal, with inside faces and top faces planed true and straight.

Price per running inch, per pair, 35 cents

Prices, f. o. b. Harrisburg, Pa.




THIRTY-ONE

35  
12  
70  
352.0

\$ 4-20 for 12 in backing iron.  
3-50 1" polisher -  
\$ 7.70



THE W. O. HICKOK MANUFACTURING COMPANY -- Harrisburg, Pa., U. S. A.



## HICKOK FORMING IRON

Price, each \$3.50

## JOINT RODS

Made of hardwood. Order by number only.

Price per dozen pieces, \$1

## BONE FOLDERS

	Each	Doz.
7-inch.....	\$0 20	\$2 30
8-inch.....	25	2 80
9-inch.....	30	3 25

No. 1.  
Quarto.



No. 2.  
Cap.



No. 3.  
Demy.



No. 4.  
Medium.



No. 5.  
S. Royal.



No. 6.  
Cap.



No. 7.  
Demy.



No. 8.  
Medium and Royal.



No. 9.  
Imperial.




No. 10.  
Small Quarto.




No. 11.  
Medium.



No. 12.  
S. Royal and Medium.




No. 13.  
Imperial.



Prices, f. o. b. Harrisburg, Pa.

THE W. O. HICKOK MANUFACTURING COMPANY -:- Harrisburg, Pa., U. S. A.

## Hickok Bookbinders' Small Tools



**CASE GAUGES**

Made of aluminum composition.

7½-in. jaw, opens 3 in. . . . . \$10



**INDEX SHEARS, \$3.50**

Prices,  
f. o. b.  
Harrisburg,  
Pa.



**BEATING HAMMER, \$4.50**

Three weights, Large 8½ lbs., Medium 7 lbs.,  
Small 5¼ lbs.



**ROUNDING HAMMER, \$2**

Two weights, Large 2 lbs. 2 oz.,  
Small 1 lb. 8 oz.

**BACKING HAMMER, \$2**

Three weights, Large 2 lbs. 8 oz.,  
Medium 1 lb. 12 oz., Small 1 lb. 4 oz.


THIRTY-THREE

## HICKOK ROLLS AND STAMPS

We show below a few of the most popular Rolls and Stamps. We can also supply Gouges, Lines and Embossed Rule. *Kindly order by number which is the first set of figures.* The figures after the price on the plain rolls, represent the thickness of the line in thousandths of an inch. When the line is double or triple, the first figure represents the width of the upper line, the second the space between the lines and the third the width of the lower line, etc.

201—\$8.25—10	210—\$8.25—105	236—\$9.00—50-35-15
203—\$8.25—12	219—\$9.00—7-25-7	237—\$9.00—45-30-15
204—\$8.25—15	220—\$9.00—22-15-7	239—\$9.00—75-55-20
205—\$8.25—18	221—\$9.00—12-30 12	240—\$9.00—90-55-20
206—\$8.25—30	222—\$9.00—15-40-15	264—\$10.50—18-35-70—35-18
207—\$8.25—45	234—\$9.00—40-30-15	
208—\$8.25—62		

# HICKOK ROLLS AND STAMPS (CONTINUED)



350—\$12.75



351—\$12.75




353—\$18.00



355—\$15.75



356—\$17.75



362—\$16.50



365—\$16.25



366—\$16.00



371—\$16.25



373—\$16.25



374—\$18.00



376—\$15.50



381—\$16.25



385—\$18.00



395—\$18.00



397—\$17.75



403—\$15.75



411—\$17.75



418—\$21.75



419—\$15.50



439—\$25.25



THE W. O. HICKOK MANUFACTURING COMPANY :- Harrisburg, Pa., U. S. A.

# HICKOK ROLLS AND STAMPS (CONTINUED)



457—\$25.25



458—\$25.25



467—\$28.75



484—\$18.25



508—\$28.75



521—\$17.25



651—\$16.75



653—\$17.50



734—\$12.75



802—\$4.35



815—\$4.35



820—\$4.35



821—\$5.50



828—\$5.50



827—\$6.00



832—\$6.50



841—\$5.50




844—\$4.35

## Index

	<i>Page</i>		<i>Page</i>
Agates .....	34	Index Shears .....	33
Backing Boards .....	31	Job Backer .....	7
Backing Hammer .....	33	Joint Rods .....	32
Band Nippers .....	34	Knife-grinder .....	8, 9
Band Rubber .....	34	Laying Presses .....	20
Beating Hammer .....	33	Lettering Pallet .....	19-26
Bench Blocks .....	31	Lettering Pallet Press .....	18
Bindery Table .....	27	Numbering Machine .....	2-5
Blank-book Sewing-bench .....	30	Paging Head .....	4, 5
Bloodstones .....	34	Paging Inks .....	3
Book-backing Machine .....	6, 7	Paging and Numbering Machines .....	2-5
Bookbinders' Hammers .....	33	Plow and Press .....	21-22
Bone Folders .....	32	Polishers .....	34
Bundling Press, Hand .....	16	Press Boards .....	24
Burnishers .....	34	Press, Hand-bundling Signature .....	16
Case Gauges .....	33	Presses, Finishing .....	20
Creasers .....	34	Presses, Gilding .....	23
Finishers' Turn-table .....	27	Presses, Standing .....	11-15
Finishing Presses .....	20	Roller Backer .....	6
Finishing Stands .....	25, 27	Rolls and Stamps .....	26, 35-38
Forming Iron .....	32	Sewing Benches .....	30
Gas Heater for Glue Kettle .....	28	Shears, Binder's Board .....	10
Gas Stove .....	29	Stabbing Machines .....	17-18
Gauge Table Shears .....	10	Stamping Press .....	18
Gilding Press and Stand .....	23	Standing Presses .....	11-15
Glue-Kettles .....	28, 29	Table Shears .....	10
Gold Cushions .....	25	Table, Bindery .....	26
Hammers .....	33	Toggle Standing Presses .....	15

THE W. O. HICKOK MANUFACTURING COMPANY -:- Harrisburg, Pa., U. S. A.



*Factories of The W. O. Hickok Manufacturing Company*





HICKOK